PERFECT

home

FROM EUROPE. SINCE 1989

VOX

VOX. PERFECT HOME

CEILINGS

WALLS

FLOORS

FACADE

OUR PRODUCTS
IN REAL SPACES

FREEDOM OF CREATION

VOX is an innovative European brand in the interior design and home finishing industry and is a key brand of the VOX Capital Group.

At VOX, we believe that true freedom begins at home and the place we live in makes a huge impact on our lives. That is why our goal is to continuously develop and deliver comprehensive solutions - from matching collections of wall systems, furniture, doors and floors, to the highest quality facade cladding and ceilings.

In 2018, the VOX brand ventured into the Indian Market.
VOX's presence in India spans over 250 cities with a strong network of distributors, dealers, and installers.
The production at the Indian Factory began in 2023.

CEILINGS

The innovative VOX ceiling system is designed to seamlessly blend functionality with aesthetics, offering a modern solution for transforming interior spaces. Engineered in Europe and manufactured using advanced technology, these ceiling panels provide a clean, sleek finish to any ceiling surface. The system features a convenient click-lock mechanism and enhanced panel rigidity, enabling quick, hassle-free installation. Lightweight yet highly durable, panels are ideal for both new constructions and renovations, requiring minimal structural support. They are completely maintenance-free and built to last. Additionally, the inclusion of perforations ensures proper ventilation and protection of the underlying surface, making ceiling panels not only stylish but also practical for long-term performance.

PRODUCT FULL OF ADVANTAGES

- MOISTURE RESISTANT
- LOW WEIGHT
- IMPACT AND CRACK RESISTANCE
- QUICK & EASY INSTALLATION
- EASY TO KEEP CLEAN
- MAINTENANCE FREE
- PESTS RESISTANT
- SAFETY

PANEL SHAPES

SV(P) 07 (Infratop)
Panel with perforation



SV(P) 08 (Infratop)
Panel without perforation

SV(P) 05 (Infratop)
Flat panel

SV(P) 26 (Infratop)
Panel with four lamellas

SV(P) 06 (Fronto)
Slat panel

SV(P) 06 V-BLACK (Fronto)
Slat panel

SV(P) 24 (Fronto)
Asymmetric panel

SV(P) 22 (Welo)
Ceiling panel (upto 4 floors)

COLOURS

Oak

Balance Oak

Oak Winchester

Golden Oak

Walnut

Rosewood

Dark Mahogany

Polar Oak

Basalt Oak

Honey Oak

Light Oak

White

Brown

Graphite


Black

Anthracite Grey

Light Olive

Buttercream

Tyrol Pine

Burma Teak

Classic Chestnut

INFRATOP

VINYL SIDING

FRONTO

WELO

NATURE COLLECTION

COLOUR	SV(P) 07	SV(P) 08	SV(P) 26	SV(P) 05	SV(P) 06	SV(P) 06 V-BLACK	SV(P) 24	SV(P) 22 - INTERNAL USE
BASALT OAK		●		*				
DARK MAHOGANY		●	●	*	●			●
ROSEWOOD		●		*				
WALNUT	●	●	●	*	●	●	●	●
GOLDEN OAK	●	●	●	*	●	●	●	●
OAK	●	●	●	*	●	●		
WINCHESTER OAK	●	●		*	●			●
POLAR OAK		●		*	●			●
BALANCE OAK		●		*				●
LIGHT OAK						●		
HONEY OAK					●			
TYROL PINE		●						
BURMA TEAK		●						
CLASSIC CHESTNUT		●						

UNICOLOUR COLLECTION

WHITE	●	●	●	*				
BROWN	●	●		*				
GRAPHITE	●	●		*				●
BLACK		●		*				
ANTHRACITE GREY					●		●	
LIGHT OLIVE		●		*	●		●	●
BUTTERCREAM		●		*	●		●	●

● AVAILABLE

* WHICH ARE PRODUCED AGAINST ORDER

TRIMS

SV(P) 15
J Profile



SV(P) 18
Connector

SV(P) 15.5 (Indoor use only)
J trim mini

SV(P) 15D
J profile



PANELS

PRODUCT	PANEL SIZE	NO OF PCS IN PACKAGE	AREA COVERAGE IN SQFT/RFT
INFRATOP	Panel 2.7 m	10	87.19
	Panel 3.05 m	10	98.49
	Panel 3.85 m	10	124.32
FRONTO	Panel 3.05 m	10	82.08
WELO	Panel 3.05 m	10	82.08

TRIMS

PRODUCT	NO OF PCS IN PACKAGE	AREA COVERAGE IN SQFT/RFT
SV(P) 15	10	100.07
SV(P) 15.5	10	100.07
SV(P) 18	5	50.035
SV(P) 15D	10	100.07

WARRANTY ON PRODUCTS

INFRATOP — 20 YEARS WARRANTY

FRONTO — 10 YEARS WARRANTY

WELO — 10 YEARS WARRANTY

J TRIM - DRIP

SV(P) 15D is a drip trim with projection, typically made of PVC, installed at edges to guide water away from the building, preventing it from flowing back into structural components.

By creating a physical barrier, the drip mold interrupts the capillary action of water, preventing it from infiltrating the soffit or wall cavity.

SV(P) 15D

J trim



PATENT APPLIED

CONNEX

Connex is offered in the Infratop ceiling solution for seamlessly joining non-perforated panels without the need for additional accessories. Panels with the Connex lock are available in a 2650 mm length, and a patent has been applied for the Infratop Connex system.

PATENT APPLIED



JOINING WITHOUT ANY ACCESSORIES

SEAMLESSLY CONNECTED

FIRE SHIELD INFRATOP

VOX Fire Shield Infratop Panels are premium ceiling, soffit & interior wall panels crafted to deliver long-lasting performance and refined aesthetics with elevated safety. Engineered with an enhanced polymer matrix and specialized fire-resistant additives, Fire Shield Infratop achieves B s3 d0 fire classification as per EN 13501-1, ensuring controlled flame spread and no flaming droplets.

SV(P) 08 AVAILABLE IN ALL COLOURS ON ORDER BASIS

DIMENSIONS

length - 3050 mm / 3850 mm
Width - 340 mm
Thickness - 1.1 mm ± 0.1 mm

FIRE SHIELD

SV(P) 08



WALLS

Wall panels are a smart and stylish solution for interior spaces.
VOX Welo panels are an excellent solution for enhancing internal walls with the warmth of natural wood without its limitations. Welo panels offer a superior alternative. They are completely waterproof, pest-resistant, and maintenance-free, making them ideal for long-term use. Welo panels feature a matte finish and highly realistic wood-like patterns with natural variation. Their lightweight design and ease of installation make them perfect for residential and commercial interiors alike, including living rooms, bedrooms, kitchens, and offices. Designed exclusively for indoor use, Welo panels can also be effortlessly combined with other materials to create stylish, durable, and elegant wall finishes.

PRODUCT FULL OF ADVANTAGES

- NATURAL WOOD STRUCTURE AND TEXTURE
- MOISTURE RESISTANT
- MAINTENANCE FREE
- HORIZONTAL OR VERTICAL INSTALLATION
- INTERIOR WALLS & CEILINGS APPLICATION
- LIGHTWEIGHT FOR EASY INSTALLATION
- PESTS RESISTANT
- 10 YEARS PRODUCT WARRANTY

WELO: WALLS

SV(P) 22

Wall panel (Internal application)

MODERN SOLUTION



WELO	NO OF PCS IN PACKAGE	AREA COVERAGE IN SQFT/RFT
Panel 3.05 m	10	82.08
Trim SV(P) 15.5	10	100.07

COLOURS

Polar Oak

Oak Winchester

Dark Mahogany

Golden Oak

Walnut

Buttercream

Balance Oak

Light Olive

Graphite

LINERIO SLAT PANELS

Every element of an interior matters. Each contributes to the overall atmosphere and influences how we feel within the space. Linerio slat panels add the interior a unique character to any interior and help define different zones.
The final look depends on your choice of our three panel lines - S, M, or L - each offering different slat widths and depths.
Select your favorite color and install the panels however you like: vertically, horizontally, or diagonally. They'll make a statement in any configuration.

PRODUCT FULL OF ADVANTAGES

- LOW WEIGHT
- WATER RESISTANT
- PANELS MIXING
- QUICK INSTALLATION
- EASY TO KEEP CLEAN
- RECYCLABLE
- ARRANGEMENT POSSIBILITIES
- 2 YEARS WARRANTY

15

LINERIO: 3 TYPES OF PANELS

S-LINE
Slat panel



M-LINE
Slat panel

L-LINE
Slat panel

S-LINE
Slat panel



M-LINE
Slat panel



L-LINE
Slat panel



There are 3 trims for every Linerio shape (S, M, L): L-trim (left), R-trim (right) and U-trim (Universal). They are avilable in every Linerio's colour.

LINERIO	NO OF PCS IN PACKAGE	AREA COVERAGE IN SQFT/RFT
SP Linerio S-LINE 3,05 m x 16	16	64.08
SP Linerio M-LINE 3,05 m x 16	16	64.08
SP Linerio L-LINE 3,05 m x 12	12	48.06
SP Linerio S-LINE 2,4 m x 18	18	56.7
SP Linerio M-LINE 2,4 m x 18	18	56.7
SP Linerio L-LINE 2,4 m x 14	14	44.1
L-trim Linerio S-LINE 3,05 m x 36	36	360.25
R-trim Linerio S-LINE 3,05 m x 24	24	240.17
U-trim LinerioS/M 3,05 m x 35	35	350.25
R-trim Linerio M-LINE 3,05 m x 35	35	350.25
L-trim Linerio M-LINE 3,05 m x 21	21	210.15
R-trim Linerio L-LINE 3,05 m x 18	18	180.13
L-trim Linerio L-LINE 3,05 m x 12	12	120.08
U-trim Linerio L-LINE 3,05 m x 18	18	180.13

COLOURS

Natural

Natural Black

Mocca

Chocolate

White

Grey


Anthracite


Black

FLOORS

PRIMERRA WOOD LINE

At VOX we know that decorating a home may be a challenging experience full of difficult choices. To make this task easier we have designed the floor which combines both aesthetics and functionality and let you finish your home with pleasure. Primerra wood line offers 11 decors inspired by natural wood pattern. The floor is resistant to water and stains, which guarantee long lasting impression in residential space.

PRODUCT FULL OF ADVANTAGES

- STAIN RESISTANT
- WATER RESISTANT
- COMFORT OF WALKING
- FOR MILD UNDULATED SURFACE
- QUICK INSTALLATION

SPC 4+1 MM THICKNESS

- 4+1 mm — THICKNESS
- 0,3 mm — WEAR LAYER
- WARRANTY 10 YEARS - RESIDENTIAL

SPC 5+1 MM THICKNESS

- 5+1 mm — THICKNESS
- 0,5 mm — WEAR LAYER
- WARRANTY 5 YEARS - COMMERCIAL

LAYER STRUCTURE

The multi-layer design and unique construction make Primerra floor extremely durable, providing it scratch and stain resistance. The product specifications make Primerra floor the most suitable solution for domestic application. Its composition is water and termite resistant and moreover, it maintains thermal insulation at home.

PRIMERRA

SPC flooring 4+1 mm / 0.3 mm (with IXPE Backing)
SPC flooring 5+1 mm / 0.5 mm (with IXPE Backing)

SPC 4+1 mm / 5+1 mm

Length 1219.2 mm
Width - 177.8 mm





PRIMERRA	NO OF PCS IN PACKAGE	AREA COVERAGE IN SQFT
SPC Flooring 4+1 mm	10	23.33
SPC Flooring 5+1 mm	8	18.66

COLOURS

CONCRETE OAK

MALT OAK

GOLDEN OAK

WALNUT OAK

IMPERIAL OAK

CARAMEL OAK

OAK MIST

NORDIC OAK

WESTERN OAK

CHERRY OAK

NATURE OAK

OAK EBONY

PRIMERRA HERRINGBONE

Herringbone flooring is not just about style but also about enhancing the structural and aesthetic qualities of the space it is used in, Primerra Herringbone patterns offer a sophisticated and timeless look, adding a sense of elegance to any space. The zigzag pattern creates visual interest and movement, making floors stand out.
This pattern can make small rooms appear larger and add depth to larger spaces. The interlocking design of the herringbone pattern can add stability and strength to the floor.

PRODUCT FULL OF ADVANTAGES

- NATURAL WOOD STRUCTURE AND TEXTURE
- MODERN DESIGN
- MAINTENANCE FREE
- EASY TO KEEP CLEAN
- WATER RESISTANT
- COMFORT OF WALKING
- LOCK FOR EASY INSTALLATION

SPC 4+1 MM THICKNESS

- 4+1 mm THICKNESS
- 0,3 mm WEAR LAYER
- WARRANTY 10 YEARS - RESIDENTIAL

COLOURS

GOLDEN OAK

IMPERIAL OAK

MALT OAK

NATURE OAK

NORDIC OAK

WALNUT OAK

HERRINGBONE

SPC flooring 4+1 mm / 0.3 mm (with IXPE Backing)

HERRINGBONE 4+1 mm

Length - 650 mm
Width - 150 mm

UNILIN LOCK - HERRINGBONE



PRIMERRA HERRINGBONE	NO OF PCS IN PACKAGE	AREA COVERAGE IN SQFT
SPC Flooring	10	10.49

ESPUMO SKIRTING BOARDS

The Espumo skirting board is different than others. It's manufactured in the Kerracore technology. It has a light-weight foamed inner layer and a hard outer layer, which ensures impact and moisture resistance.
It can be used as finishing for ceramic tiles.
The Espumo collection includes modern skirting boards that will give character to each kind of interior. White skirting boards will blend in perfectly with white walls, while grey and black ones will suit more bold arrangements.

PRODUCT FULL OF ADVANTAGES

- MOISTURE RESISTANT
- QUICK INSTALLATION
- IMPACT RESISTANT
- MADE IN EUROPE
- INSTALLATION WITH GLUE
- A THOUGHTFUL COLOUR PALETTE
- FINISHING ACESSORIES
- 2 YEARS PRODUCT WARRANTY

ESPUMO MODELS & COLOURS

ESP101



ESP201



ESP301



ESP401



ESP501



ESP202



ESP203



ESP205

ESP206



ESP406



ESP506



SKIRTING BOARDS	NO OF PCS IN PACKAGE	AREA COVERAGE IN RFT
Espumo	10	78.74

Espumo skirting boards are 240 cm long. PVC end caps are available for all shapes and colours of Espumo skirting boards.

FACADE

The VOX MAX-3 facade system is a high-performance, ventilated cladding solution developed to combine the strengths of both vinyl and metal siding while eliminating their drawbacks. Engineered with innovative three-layer technology, MAX-3 panels offer exceptional resistance to mechanical damage—previously achievable only with metal facades—along with superior durability against extreme temperatures. Unlike traditional metal cladding, MAX-3 is easier to cut and install, does not corrode over time, and maintains its original color for longer. Designed to enhance both the aesthetic and structural integrity of building exteriors, facade systems deliver long-lasting protection, low maintenance, and an advanced architectural finish

PRODUCT FULL OF ADVANTAGES

- NATURAL WOOD STRUCTURE AND TEXTURE
- MOISTURE RESISTANT
- MAINTENACE FREE
- HORIZONTAL OR VERTICAL INSTALLATION
- WALLS AND CEILINGS APPLICATION
- LIGHTWEIGHT FOR EASY INSTALLATION
- RESISTANCE TO CHANGING WEATHER CONDITIONS
- 10 YEARS PRODUCT WARRANTY

PANEL RESISTANT TO EXTREME CONDITIONS

SXP 05 (MAX 3)
Flat panel

SX(P) 24 (Fronto MAX)
Asymmetric panel

SX(P) 06 (Fronto MAX)
Slat panel



SX(P) 06 V-BLACK (Fronto MAX)
Slat panel

PANELS

PRODUCT	PANEL SIZE	NO OF PCS IN PACKAGE	AREA COVERAGE IN SQFT/RFT
MAX-3	Panel 3.85 m	10	103.6
FRONTO MAX	Panel 2.95 m	10	79.38

TRIMS

PRODUCT	NO OF PCS IN PACKAGE	AREA COVERAGE IN SQFT/RFT
SV(P) 15	10	100.07
SV(P) 18	5	50.035
SV(P) 12	5	50.035
SV(P) 13	5	50.035
SV 11	10	100.07
SV 11.5	10	100.07
SV(P) 12 V (Available only in Fronto colours)	5	50.035
SV(P) 12.5 (Available only in Fronto colours)	5	50.035

COLOURS

Golden Oak

Honey Oak

Oak Winchestrer

Oak

Walnut

Light Oak

Polar Oak

Buttercream

Light Olive

Ash

Beech

FRONTO MAX

MAX 3

NATURE COLLECTION

COLOR	SX(P) 06 for outdoor use	SX(P) 06 V-BLACK for outdoor use	SX(P) 24 for outdoor use	SX(P) 05 for outdoor use
BASALT OAK				
DARK MAHOGANY				
ROSEWOOD				
WALNUT	●	●		
GOLDEN OAK	●	●		●
OAK	●	●		●
WINCHESTER OAK	●			●
POLAR OAK				
BALANCE OAK				
LIGHT OAK		●		
HONEY OAK	●			●
BEECH				●
ASH				●

● AVAILABLE

TRIMS

SV(P) 12 V
External corner for vertical installation



SV(P) 12.5
Mini external corner trim



SV(P) 12
Outside corner trim



SV(P) 13
Inside corner trim



SV(P) 15
J trim



SV(P) 18
T trim



SV 11
Starting trim



SV 11.5
Bottom ventilation trim



OUR PRODUCTS IN REAL SPACES

VOX brings up new ideas and different ways to reinvent your home with an airy and new astonishing look.
Our amazing products will mesmerize you to finish your home.

Find your inspiration now!



CERTIFICATIONS

intertek
Total Quality Assured.

CERTIFICATE
OF REGISTRATION

This is to certify that the management system of:

VOX INTERIOR & EXTERIOR SOLUTIONS PVT. LTD.

Main Site: Plot No. 78/A, Jigani Industrial Area, Jigani 1st Phase, Anekal, Bangalore (Urban), Bangalore, Karnataka, 560105, India.

has been registered by Intertek as conforming to the requirements of:

ISO 9001:2015

The management system is applicable to:

MANUFACTURE AND DISTRIBUTION OF PVC AND POLYSTYRENE PROFILES AND ACCESSORIES FOR INTERIOR AND EXTERIOR APPLICATIONS FOR BUILDINGS.

Certificate Number:
0207277
Initial Certification Date:
12 March 2025
Date of Certification Decision:
12 March 2025
Issuing Date:
12 March 2025
Valid Until:
11 March 2028

Rathin Grover
President, Business Assurance

Intertek Certification Limited, 10A Victory Park, Victory Road, Derby DE24 8ZF, United Kingdom

Intertek Certification Limited is a UKAS accredited body under schedule of accreditation no. 014.

intertek
Total Quality Assured.

CERTIFICATE
OF REGISTRATION

This is to certify that the management system of:

VOX INTERIOR & EXTERIOR SOLUTIONS PVT. LTD.

Main Site: Plot No. 78/A, Jigani Industrial Area, Jigani 1st Phase, Anekal, Bangalore (Urban), Bangalore, Karnataka, 560105, India.

has been registered by Intertek as conforming to the requirements of:

ISO 45001:2018

The management system is applicable to:

MANUFACTURE AND DISTRIBUTION OF PVC AND POLYSTYRENE PROFILES AND ACCESSORIES FOR INTERIOR AND EXTERIOR APPLICATIONS FOR BUILDINGS.

Certificate Number:
0207275
Initial Certification Date:
12 March 2025
Date of Certification Decision:
12 March 2025
Issuing Date:
12 March 2025
Valid Until:
11 March 2028

Rathin Grover
President, Business Assurance

Intertek Certification Limited, 10A Victory Park, Victory Road, Derby DE24 8ZF, United Kingdom

Intertek Certification Limited is a UKAS accredited body under schedule of accreditation no. 014.

intertek
Total Quality Assured.

CERTIFICATE
OF REGISTRATION

This is to certify that the management system of:

VOX INTERIOR & EXTERIOR SOLUTIONS PVT. LTD.

Main Site: Plot No. 78/A, Jigani Industrial Area, Jigani 1st Phase, Anekal, Bangalore (Urban), Bangalore, Karnataka, 560105, India.

has been registered by Intertek as conforming to the requirements of:

ISO 14001:2015

The management system is applicable to:

MANUFACTURE AND DISTRIBUTION OF PVC AND POLYSTYRENE PROFILES AND ACCESSORIES FOR INTERIOR AND EXTERIOR APPLICATIONS FOR BUILDINGS.

Certificate Number:
0207274
Initial Certification Date:
12 March 2025
Date of Certification Decision:
12 March 2025
Issuing Date:
12 March 2025
Valid Until:
11 March 2028

Rathin Grover
President, Business Assurance

Intertek Certification Limited, 10A Victory Park, Victory Road, Derby DE24 8ZF, United Kingdom

Intertek Certification Limited is a UKAS accredited body under schedule of accreditation no. 014.

The manufacturer reserves the right to change the colours, dimensions, and functions of the presented products. This catalogue is published for informational purposes only. The catalogue presents examples of patterns from the offer. Some items presented in the arrangement photos are for decoration only and are not for sale.
Copying and distribution of any materials contained in the catalogue without the written consent of the publisher is prohibited. The colours in the catalogue may differ from reality. All data contained in the catalogue are valid in the month when the catalogue is submitted for printing – January 2026.

VOX

VOX INTERIOR AND EXTERIOR SOLUTIONS PRIVATE LIMITED
Regd. Office: #1202, 100ft Road, HAL 2nd Stage, Indiranagar, Domlur
Bengaluru - 560 008, India

Ph No: +91 9528500500 / +91 8042175141 / +91 8042175180
WA No: +91 6366844251
E: customercare@voxindia.co

Website: voxindia.co

Follow us on: